

CERTIFICATE

Issued to:
Applicant:
MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd, Wugu District
24891 New Taipei City, Taiwan

Licensee:
MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd, Wugu District
24891 New Taipei City, Taiwan

Product : DALI Gateway
Trade name(s) : MEAN WELL
Type(s)/model(s) : DLC-02-KN

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard(s) EN 61347-1:2015, EN 61347-1:2015/A1:2021, EN 61347-2-11:2001, EN 61347-2-11:2001/A1:2019 and EN IEC 63044-3:2018
- an inspection of the factory location according to CENELEC Operational Document CIG 021
- a DEKRA certification agreement with the number 6060081


DEKRA hereby grants the right to use the DEKRA Seal certification mark.

The DEKRA Seal certification mark may be applied to the product as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 17 June 2021 and expires at the latest on 17 June 2026.

Certificate number: 35-119461

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: DALI Gateway
Trade name(s)	: MEAN WELL
Type(s)/model(s)	: DLC-02-KN
Rated input voltage	: 100-277 Vac
Rated input current	: 0,3 A
Rated frequency	: 50/60 Hz
Max. case temperature (tc)	: 70 °C
Ambient temperature (ta)	: -20-45 °C
DALI output	: 2 x 16 VDC
DALI Supply current	: 2 x 240 mA
Max. DALI supply current	: 2 x 250 mA
K1-K4	: 250 VAC/ 5 A
Additional information	: SELV built-in DALI controller, non-inherently short-circuit proof

TESTS**Test requirements**

EN 61347-1:2015
EN 61347-1:2015/A1:2021
EN 61347-2-11:2001
EN 61347-2-11:2001/A1:2019
EN IEC 63044-3:2018

Test result

The test results are laid down in DEKRA test file 437438300, 437685700.

Additional information

The list of components is laid down in test report 4374383.50, 4376857.50.

Conclusion

The examination proved that all requirements were met.

Factory location

MEAN WELL (GUANGZHOU) Electronics Co.,Ltd. Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District
510890 Guangzhou Guangdong, China

Trade name: MEAN WELL stands for



Unique Identifier

