



PETER CHENG  
MEAN WELL ENTERPRISES CO LTD  
28 WUQUAN 3RD RD WUGU DIST  
NEW TAIPEI  
248 TAIWAN

Date: 2018/11/02  
Subscriber: 710861002  
PartySite:  
File No:  
Service Request No: 5063630  
Project Number: 18SR5063630  
PD No: 18049802  
PO Number:

Subject: Multiple Listing Correlation Sheet

Dear Peter Cheng,

Enclosed is a copy of your completed Multiple Listing Correlation Sheet covering the Basic File listed below. The following documents were added (new) or revised on 11/02/2018.

<u>Basic File</u>	<u>Vol</u>	<u>ML File</u>	<u>Pages</u>	<u>Revised</u>	<u>New</u>
E246367	DI	E227340	ML Correlation Page(s)		

Please review this material and report any inaccuracies to YI CHEN LIN (886-2-2896-7790) referring to the above Service Request number.

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

TPI File



Multiple Recognition Correlation Sheet

ML FILE NO. E227340

Issued: 2016-07-22

Revised: 2018-11-02

MULTIPLE RECOGNITION  
of  
POWER SUPPLIES, MEDICAL AND DENTAL - COMPONENT  
(QQHM2, QQHM8)  
for

[74570] MEAN WELL ENTERPRISES CO LTD

Basically Recognized for:

[196689] ELJINTEK INC (TPI)

Basically Recognized products covered by Procedure and/or Reports under File No. E246367, Volume D1

Products Covered	Report Date	Basic Applicant's (Supplier's) Product Designation	Multiple Listee's Product Designation	ILL #
	D1000-1/A0/C0	GMPU30x-y (%)	GEM30xyzzzzz (!)	1
		GMPU40x-y (%)	GEM40xyzzzzz (!)	2

Note: (%):x=B, U, or UI; y=1, 1-1, 2, 3, 4, 5, 6, 7, or 8)

(!): x can be B, U or I; -y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -z can be 0 to 9, A to Z, hyphen or blank; B = Desktop C8 inlet type; U = Wall mount American plug; I = interchangeable plug

**MARKING:** Same as that described in Follow-Up Service Procedure and/or Report except for Multiple Listee's name, file number, Trademark / Tradename, when applicable, and product designation.

**LITERATURE:** If literature is packaged with the Multiple Listed product(s) it shall be in compliance with the requirements outlined in the appropriate UL Standard(s).



Multiple Recognition Correlation Sheet

Issued: 2016-07-22  
Revised: 2018-11-02

M/L [74570] MEAN WELL ENTERPRISES CO LTD  
AP [196689] ELJINTEK INC

Products Covered	Report Date	Basic Applicant's (Supplier's) Product Designation	Multiple Listee's Product Designation	ILL #
	D1	GMPU12U-1	GSM12U05zzzzz (@)	3
		GMPU12U-1-USB	GSM12U05zzzzzUSB (@)	3
		GMPU12U-1-1	GSM12U07zzzzz (@)	3
		GMPU12U-1-1-USB	GSM12U07zzzzz-USB (@)	3
		GMPU12U-2	GSM12U09zzzzz (@)	3
		GMPU12U-2-USB	GSM12U09zzzzz-USB (@)	3
		GMPU12U-3	GSM12U12zzzzz (@)	3
		GMPU12U-3-USB	GSM12U12zzzzz-USB (@)	3
		GMPU12U-4	GSM12U15zzzzz (@)	3
		GMPU12U-4-USB	GSM12U15zzzzz-USB (@)	3
		GMPU12U-5	GSM12U18zzzzz (@)	3
		GMPU12U-5-USB	GSM12U18zzzzz-USB (@)	3
		GMPU12U-6	GSM12U24zzzzz (@)	3
		GMPU12U-6-USB	GSM12U24zzzzz-USB (@)	3
		GMPU12U-7	GSM12U28zzzzz (@)	3
		GMPU12U-7-USB	GSM12U28zzzzz-USB (@)	3
		GMPU12U-8	GSM12U48zzzzz (@)	3
		GMPU12U-8-USB	GSM12U48zzzzz-USB (@)	3

Note: (@) refers to where x can be U,I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; z can be 0 to 9, A to Z, hyphen or blank; U = Wall mount American plug; I = interchangeable plug.

**MARKING:** Same as that described in Follow-Up Service Procedure and/or Report except for Multiple Listee's name, file number, Trademark / Tradename, when applicable, and product designation.

**LITERATURE:** If literature is packaged with the Multiple Listed product(s) it shall be in compliance with the requirements outlined in the appropriate UL Standard(s).



Multiple Recognition Correlation Sheet

Issued: 2016-07-22  
Revised: 2018-11-02

M/L [74570] MEAN WELL ENTERPRISES CO LTD  
AP [196689] ELJINTEK INC

Products Covered	Report Date	Basic Applicant's (Supplier's) Product Designation	Multiple Listee's Product Designation	ILL #
	D1	GMPU12UI-1	GEM12I05zzzzz (@)	3
		GMPU12UI-1-USB	GEM12I05zzzzz-USB (@)	3
		GMPU12UI-1-1	GEM12I07zzzzz (@)	3
		GMPU12UI-1-1-USB	GEM12I07zzzzz-USB (@)	3
		GMPU12UI-2	GEM12I09zzzzz (@)	3
		GMPU12UI-2-USB	GEM12I09zzzzz-USB (@)	3
		GMPU12UI-3	GEM12I12zzzzz (@)	3
		GMPU12UI-3-USB	GEM12I12zzzzz-USB (@)	3
		GMPU12UI-4	GEM12I15zzzzz (@)	3
		GMPU12UI-4-USB	GEM12I15zzzzz-USB (@)	3
		GMPU12UI-5	GEM12I18zzzzz (@)	3
		GMPU12UI-5-USB	GEM12I18zzzzz-USB (@)	3
		GMPU12UI-6	GEM12I24zzzzz (@)	3
		GMPU12UI-6-USB	GEM12I24zzzzz-USB (@)	3
		GMPU12UI-7	GEM12I28zzzzz (@)	3
		GMPU12UI-7-USB	GEM12I28zzzzz-USB (@)	3
		GMPU12UI-8	GEM12I48zzzzz (@)	3
		GMPU12UI-8-USB	GEM12I48zzzzz-USB (@)	3

Note: (@) refers to where x can be U,I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; z can be 0 to 9, A to Z, hyphen or blank; U = Wall mount American plug; I = interchangeable plug.

**MARKING:** Same as that described in Follow-Up Service Procedure and/or Report except for Multiple Listee's name, file number, Trademark / Tradename, when applicable, and product designation.

**LITERATURE:** If literature is packaged with the Multiple Listed product(s) it shall be in compliance with the requirements outlined in the appropriate UL Standard(s).



Multiple Recognition Correlation Sheet

Issued: 2016-07-22

Revised: 2018-11-02

M/L [74570] MEAN WELL ENTERPRISES CO LTD

AP [196689] ELJINTEK INC

Products Covered	Report Date	Basic Applicant's (Supplier's) Product Designation	Multiple Listee's Product Designation
	D1	GMPU18U-1	GEM18U05zzzzz (a)
		GMPU18U-1-1	GEM18U07zzzzz (a)
		GMPU18U-2	GEM18U09zzzzz (a)
		GMPU18U-3	GEM18U12zzzzz (a)
		GMPU18U-4	GEM18U15zzzzz (a)
		GMPU18U-5	GEM18U18zzzzz (a)
		GMPU18U-6	GEM18U24zzzzz (a)
		GMPU18U-7	GEM18U28zzzzz (a)
		GMPU18U-8	GEM18U48zzzzz (a)
	D1	GMPU18B-1	GEM18B05zzzzz (b)
		GMPU18B-1-1	GEM18B07zzzzz (b)
		GMPU18B-2	GEM18B09zzzzz (b)
		GMPU18B-3	GEM18B12zzzzz (b)
		GMPU18B-4	GEM18B15zzzzz (b)
		GMPU18B-5	GEM18B18zzzzz (b)
		GMPU18B-6	GEM18B24zzzzz (b)
		GMPU18B-7	GEM18B28zzzzz (b)
		GMPU18B-8	GEM18B48zzzzz (b)
	<b>2018-10-24</b>	<b>GMPU60UI-4</b>	<b>GEM60I15</b>
		<b>GMPU60UI-5</b>	<b>GEM60I18</b>
		<b>GMPU60UI-6</b>	<b>GEM60I24</b>
		<b>GMPU60UI-7</b>	<b>GEM60I28</b>
		<b>GMPU60UI-8</b>	<b>GEM60I48</b>

Note:-Where (a) z can be -1 or blank for marketing purpose.): U = Wall mount American plug

(b) z can be -1 or blank for marketing purpose.): B = IEC-320 C8 AC Inlet

**MARKING:** Same as that described in Follow-Up Service Procedure and/or Report except for Multiple Listee's name, file number, Trademark / Tradename, when applicable, and product designation.

**LITERATURE:** If literature is packaged with the Multiple Listed product(s) it shall be in compliance with the requirements outlined in the appropriate UL Standard(s).



Multiple Recognition Correlation Sheet

Issued: 2016-07-22  
 Revised: 2018-11-02

M/L [74570] MEAN WELL ENTERPRISES CO LTD  
 AP [196689] ELJINTEK INC

Products Covered	Report Date	Basic Applicant's (Supplier's) Product Designation	Multiple Listee's Product Designation
	D1	GMPU18UI-1	GEM18I05zzzzz (c)
		GMPU18UI-1-1	GEM18I07zzzzz (c)
		GMPU18UI-2	GEM18I09zzzzz (c)
		GMPU18UI-3	GEM18I12zzzzz (c)
		GMPU18UI-4	GEM18I15zzzzz (c)
		GMPU18UI-5	GEM18I18zzzzz (c)
		GMPU18UI-6	GEM18I24zzzzz (c)
		GMPU18UI-7	GEM18I28zzzzz (c)
		GMPU18UI-8	GEM18I48zzzzz (c)
	<b>2018-10-24</b>	<b>GMPU60U-1</b>	<b>GSM60U05</b>
		<b>GMPU60U-1-1</b>	<b>GSM60U07</b>
		<b>GMPU60U-2</b>	<b>GSM60U09</b>
		<b>GMPU60U-3</b>	<b>GSM60U12A</b>
		<b>GMPU60U-3A</b>	<b>GSM60U12</b>
		<b>GMPU60U-4</b>	<b>GSM60U15</b>
		<b>GMPU60U-5</b>	<b>GSM60U18</b>
		<b>GMPU60U-6</b>	<b>GSM60U24</b>
		<b>GMPU60U-7</b>	<b>GSM60U28</b>
		<b>GMPU60U-8</b>	<b>GSM60U48</b>
		<b>GMPU60UI-1</b>	<b>GEM60I05</b>
		<b>GMPU60UI -1-1</b>	<b>GEM60I07</b>
		<b>GMPU60UI-2</b>	<b>GEM60I09</b>
		<b>GMPU60UI-3</b>	<b>GEM60I12A</b>
		<b>GMPU60UI-3A</b>	<b>GEM60I12</b>

Note:-Where (c) z can be -1 or blank for marketing purpose.): UI or I = American interchangeable plug

**MARKING:** Same as that described in Follow-Up Service Procedure and/or Report except for Multiple Listee's name, file number, Trademark / Tradename, when applicable, and product designation.

**LITERATURE:** If literature is packaged with the Multiple Listed product(s) it shall be in compliance with the requirements outlined in the appropriate UL Standard(s).