

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION A	ND CERTIFICATE	HOLDER DETAILS
-----------------	----------------	----------------

Company Name **MEAN WELL Enterprises Co., Ltd** Other Name

Address No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan

Client ID 107669 Global-Mark File Number: 107669-013

Certification and Authorized Mark Number GMA-511989 Revision Number 00

Certification Standard(s) AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For

D.C Or A.C Supplied Electronic Control Gear For Led Modules.

Type of Certification **Electrical Safety Product** Scheme **Global-Mark Electrical Product Safety Certification Scheme**

CERTIFICATE DATES

Certificate Issue Date 11/03/2022


Certificate Last Update Date

Certification Expiry Date 11/03/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager







System 1 Approval




CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C700	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 357 Vdc, 0.7 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C700A	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 357 Vdc, 0.7 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C700B	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 357 Vdc, 0.7 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C700AB	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 357 Vdc, 0.7 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C700D	Input: 100-240 Vac, 50/60 Hz, 3.0 A
AT 1 1 1	I I I I I I I I I I I I I I I I I I I	NOTANIA NA PARAMANANA NA PARAMANANANANA NA PARAMANANANA NA PARAMANANA NA PARAMANANA NA PARAMANANA NA	THE GOLDHA CHOOLS	Output: 357 Vdc, 0.7 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C700D2	Input: 100-240 Vac, 50/60 Hz, 3.0 A
AT 1 1 1	I I I I I I I I I I I I I I I I I I I	A COLANIA DE LA CALLA DEL CALLA DE LA CALLA DE LA CALLA DEL CALLA DE LA CALLA	THE COLOR COLOR DO	Output: 357 Vdc, 0.7 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C700AD2	Input: 100-240 Vac, 50/60 Hz, 3.0 A
Man Jaalana J	Indoord IED Delon	MEANIMELL	III C 940II C1070	Output: 357 Vdc, 0.7 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1050	Input: 100-240 Vac, 50/60 Hz, 3.0 A
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1050A	Output: 238 Vdc, 1.05 A, 249.9 W Input: 100-240 Vac, 50/60 Hz, 3.0 A
Ivon deciared	independent LED Driver	WEANWELL	11LG-24011- C1030A	Output: 238 Vdc, 1.05 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1050B	Input: 100-240 Vac, 50/60 Hz, 3.0 A
Ivon ucciarcu	independent LED Driver	WILLIAM VV LLL	TILG 24011 C1030D	Output: 238 Vdc, 1.05 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1050AB	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 238 Vdc, 1.05 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1050D	Input: 100-240 Vac, 50/60 Hz, 3.0 A
	•			Output: 238 Vdc, 1.05 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1050D2	Input: 100-240 Vac, 50/60 Hz, 3.0 A
	•			Output: 238 Vdc, 1.05 A, 249.9 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager










Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1050AD2	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 238 Vdc, 1.05 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1400	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 179 Vdc, 1.4 A, 250.6 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1400A	Input: 100-240 Vac, 50/60 Hz, 3.0 A
		<u> </u>	7	Output: 179 Vdc, 1.4 A, 250.6 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1400B	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 179 Vdc, 1.4 A, 250.6 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1400AB	Input: 100-240 Vac, 50/60 Hz, 3.0 A
	A			Output: 179 Vdc, 1.4 A, 250.6 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1400D	Input: 100-240 Vac, 50/60 Hz, 3.0 A
	/			Output: 179 Vdc, 1.4 A, 250.6 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1400D2	Input: 100-240 Vac, 50/60 Hz, 3.0 A
				Output: 179 Vdc, 1.4 A, 250.6 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1400AD2	Input: 100-240 Vac, 50/60 Hz, 3.0 A
			A	Output: 179 Vdc, 1.4 A, 250.6 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1750	Input: 100-240 Vac,50/60 Hz,3.0 A
				Output: 143 Vdc, 1.75 A, 250.25 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1750A	Input: 100-240 Vac,50/60 Hz,3.0 A
	Name of the same o			Output: 143 Vdc, 1.75 A, 250.25 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1750B	Input: 100-240 Vac,50/60 Hz,3.0 A
				Output: 143 Vdc, 1.75 A, 250.25 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1750AB	Input: 100-240 Vac,50/60 Hz,3.0 A
				Output: 143 Vdc, 1.75 A, 250.25 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1750D	Input: 100-240 Vac,50/60 Hz,3.0 A
				Output: 143 Vdc, 1.75 A, 250.25 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1750D2	Input: 100-240 Vac,50/60 Hz,3.0 A
				Output: 143 Vdc, 1.75 A, 250.25 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C1750AD2	Input: 100-240 Vac,50/60 Hz,3.0 A
				Output: 143 Vdc, 1.75 A, 250.25 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager









Non declared	Independent LED Driver	MEANWELL	HLG-240H- C2100	Input: 100-240 Vac, 50/60 Hz, 3.0 A Output: 119 Vdc, 2.1 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C2100A	Input: 100-240 Vac,50/60 Hz,3.0 A Output:119 Vdc, 2.1 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C2100B	Input: 100-240 Vac, 50/60 Hz, 3.0 A Output: 119 Vdc, 2.1 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C2100AB	Input: 100-240 Vac,50/60 Hz,3.0 A Output:119 Vdc, 2.1 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C2100D	Input: 100-240 Vac,50/60 Hz,3.0 A Output:119 Vdc, 2.1 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C2100D2	Input: 100-240 Vac,50/60 Hz,3.0 A Output:119 Vdc, 2.1 A, 249.9 W
Non declared	Independent LED Driver	MEANWELL	HLG-240H- C2100AD2	Input: 100-240 Vac,50/60 Hz,3.0 A Output:119 Vdc, 2.1 A, 249.9 W

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as NON IC not suitable for residential installation, to be installed by licensed electrician

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

